polypeptide comprising amino acids 2 to 35% of SEQ ID NO:2;

- (b) a variant polynucleotide sequence of (a), wherein said variant polynucleotide sequence varies from the polynucleotide sequence of (a) by a member selected from (i) nucleotide substitution, (ii) nucleotide deletion, (iii) nucleotide insertion, and (iv) a combination of (i), (ii) or (iii), and said variant polynucleotide will hybridize to the complement of a polynucleotide of (a),
 - (c) the full complement/of (a); and
 - (d) the full complement of (b).
- 56. The isolated polynucleotide of claim 55 wherein said member is (b).
- 57. The isolated polynucleotide of claim 55 wherein said member is (a).
- 58. The isolated polynucleotide of claim 55 wherein said member is (a) and said polypeptide comprises amino acids 1 to 352 of SEO ID NO:2.
- 59. The isolated polynucleotide of claim 55, wherein the polynucleotide is DNA.
- 60. The isolated polynucleotide of claim 55, wherein said polynucleotide is RNA.

- 61. A recombinant vector comprising the polynucleotide of claim 55, wherein said member is (a) or (b) and said polynucleotide is DNA.
- 62. A recombinant vector comprising the polynucleotide of claim 55, wherein said member is (a) and said polynucleotide is DNA.
- 63. A recombinant host cell comprising the polynucleotide of claim 55, wherein said member is (a) or (b) and said polynucleotide is DNA.
- 64. A method for producing a polypeptide comprising culturing the recombinant cell of claim 63 and expressing the polypeptide encoded by said polynucleotide, wherein said polypeptide produced when it has a sequence other than SEQ ID NO:2 has the ability to bind to a ligand which binds to a polypeptide having the sequence of SEQ ID NO:2.
- 65. The isolated polynucleotide of claim 56 comprising the polynucleotide sequence of SEQ ID NO:1 encoding amino acids 2 to 352 of SEQ ID NO:2.
- 66. The isolated polynucleotide of claim 56 comprising the polynucleotide sequence of SEQ ID NO:1 encoding amino acids 1 to 212 of SEQ ID NO:2.

1 world

- 67. An isolated polynucleotide comprising a member selected from the group consisting of:
- (a) a first polynucleotide coding sequence encoding the same mature polypeptide encoded by the human cDNA in ATCC Deposit No. 97183, and
- (b) a variant polynucleotide sequence of (a), wherein said variant polynucleotide sequence varies from the polynucleotide sequence of (a) by a member selected from (i) nucleotide substitution, (ii) nucleotide deletion, (iii) nucleotide insertion, and (iv) a combination of (i), (ii) or (iii), and said variant polynucleotide will hybridize to the complement of a polynucleotide

of (a),

- (c) the full complement of (a); and (d) the full complement of (b).
- 68. The isolated polynucleotide of claim 67, wherein the member is (b).
- 69. The isolated polynucleotide of claim 67, wherein the member is (a)
- 70. The isolated polynucleotide of claim 67, wherein said polynucleotide comprises DNA identical to the coding portion of the human cDNA in ATCC Deposit No. 97183 which encodes a mature polypeptide